Permit #F00156309

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information

Permit No: F00156309 **Type of Permit:** FILMING **Release Date:** 09/18/2019

Production Company	HATCHBACK PRODUCTIONS INC
Insured Company Name	HATCHBACK PRODUCTIONS INC
Contact Phone No. 1	123456
Contact Phone No. 2	
Fax	
Address	3636 KEYSTONE AVE #9 LOS ANGELES, California 90034
Production Title	EKO BATCH 3
Type of Production	Commercial - Standard

Producer	Greg Renoldo
Director	Kirk Freeze
1st AD	Sally Ruth
Production Manager	Greg Renoldo
FilmL.A. Coordinator	Brian Palmert
Location Manager	Peter Wulff
Primary Phone	Mobile - 818-209-9079
Secondary Phone	
Location Assistant	N/A N/A
Primary Phone	Mobile - 818-209-9079
Secondary Phone	

Fees

Notification Charge	$346.00
FILMLA NON-REFUNDABLE FILM APPLICATION FEE	$699.00
FILMLA MONITOR FEES	$520.00
FILMLA MONITOR FEES OVERTIME	$392.00
FILMLA MONITOR FEES - DOUBLE TIME	$520.00
CULVER CITY POLICE OFFICER DAILY FEE (WEEKDAYS)	$1,260.00
CULVER CITY FILMING DAILY USE FEE	$700.00
CULVER CITY FIRE OFFICER DAILY FEE (WEEKDAYS)	$695.00
CULVER CITY APPLICATION FEE	$165.00
CULVER CITY FIRE DEPT SPOT CHECK FEE	$190.00

Total Permit Fee $5,487.00

Number of Locations 2

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number F00156309
Production Company HATCHBACK PRODUCTIONS INC
Insured Company HATCHBACK PRODUCTIONS INC
Production Title EKO BATCH 3

Location Manager Peter Wulff
Primary Phone Mobile - 818-209-9079
Secondary Phone

Location Address 3846 Albright Ave, Culver City, CA, 90066

Location Type Private Residence

Film Dates 9/19/2019 - 9/20/2019 07:00 - 22:00 2 days

Open or Closed to the Public Closed

Generic Conditions **THE CONSUMPTION OF ALCOHOLIC BEVERAGES AND THE USE OF DRUGS, INCLUDING MARIJUANA, ON LOCATION BY ANY CAST, CREW, OR INVITED GUESTS IS STRICTLY PROHIBITED.**
CULVER CITY SPOT CHECK- The permittee is responsible for completing the attached Culver City Fire Department Spot Check Form prior to filming activity at this location. The permittee must keep the completed form onsite at all times while filming.
No cast or crew parking on area streets
No interference with vehicular or pedestrian traffic
No stopping or setting up in front of merchants or residents without prior approval

Please see attached documents Hatchback Productions Inc AL 9.11.19.pdf
SpotCheck CCFD Updated.pdf

Equipment on Location

Type	Quantity
Cast/Crew vehicles	25
Cube Trucks	3
Vans	1

Personnel on Location

Type	Quantity
Cast	2
Crew	33
Culver City Fire Officer	1
Culver City Police Officer	1
Culver City Spot Check	1
FilmL.A. Monitor(s)	1

Filming Activities Exterior Dialogue; Exterior establishing shots; Interior Dialogue;

Jurisdiction **Political:** Culver City **Police:** Culver City Police Department **Fire:** Culver City Fire Department

Thomas Guide **Page:** 672 **Grid:** E3

Approvals

CULVER CITY FIRE DEPARTMENT	Steve Poelstra
CULVER CITY POLICE DEPARTMENT	Sergeant Brandon Vanscoy
FILMLA. MONITORS	Eric Warczinsky

Coordinator Note PER CULVER CITY FIRE DEPT - 1 FSO REQUIRED ON 9/19 AND SPOT CHECK GRANTED ON 9/20

Coordinator Note 1 FILMLA MONITOR REQUIRED ON 9/19 FROM 0600HRS TO 2200HRS
1 FILMLA MONITOR REQUIRED ON 9/20 FROM 0600HRS TO 2200HRS

Parking

Base Camp
Location Type : Filming Location

Crew Parking
Location Type : Other Location
12125 Venice Blvd, Los Angeles, CA, 90066

Parking Notes
Production will off load trucks from the posting in front of the house. Then the trucks will land

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number F00156309
Production Company HATCHBACK PRODUCTIONS INC
Insured Company HATCHBACK PRODUCTIONS INC
Production Title EKO BATCH 3

Location Manager Peter Wulff
Primary Phone Mobile - 818-209-9079
Secondary Phone

with the rest of the crew cars.
Crew parking between 7a-10p

Posting "No Parking" signs E/S OF ALBRIGHT AVE, 50' IN FRONT OF 3846 ALBRIGHT AVE (LOCATION) ONLY

Approximate Footage County Parking **Log Number** CULVER CITY

Date(s) 9/19/2019 to 9/20/2019 **Time(s)** 07:00 to 22:00

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number F00156309
Production Company HATCHBACK PRODUCTIONS INC
Insured Company HATCHBACK PRODUCTIONS INC
Production Title EKO BATCH 3

Location Manager Peter Wulff
Primary Phone Mobile - 818-209-9079
Secondary Phone

Location Address 3280 Helms Ave, Culver City, CA, 90232

Location Type Restaurant

Film Dates 9/20/2019 - 9/20/2019 07:00 - 13:00 1 day

Open or Closed to the Public Closed

Generic Conditions **THE CONSUMPTION OF ALCOHOLIC BEVERAGES AND THE USE OF DRUGS, INCLUDING MARIJUANA, ON LOCATION BY ANY CAST, CREW, OR INVITED GUESTS IS STRICTLY PROHIBITED.**
All vehicles must be parked on private property
CULVER CITY SPOT CHECK- The permittee is responsible for completing the attached Culver City Fire Department Spot Check Form prior to filming activity at this location. The permittee must keep the completed form onsite at all times while filming.
No cast or crew parking on area streets
No interference with merchant activity.
No interference with vehicular or pedestrian traffic
No stopping or setting up in front of merchants or residents without prior approval

Please see attached document SpotCheck CCFD Updated.pdf

Equipment on Location

Type	Quantity
Cube Trucks	1
Vans	1

Personnel on Location

Type	Quantity
Cast	1
Crew	14
Culver City Police Officer	1
Culver City Spot Check	1

Filming Activities Exterior Dialogue; Exterior establishing shots; Interior Dialogue;

Jurisdiction **Political:** Culver City **Police:** Culver City Police Department **Fire:** Culver City Fire Department

Thomas Guide Page: 632 **Grid:** J7

Approvals CULVER CITY FIRE DEPARTMENT — Steve Poelstra
CULVER CITY POLICE DEPARTMENT — Sergeant Brandon Vanscoy

Coordinator Note 1 SANTA MONICA POLICE OFFICER REQUIRED - TO TRAVEL FROM *3846 Albright Ave, Culver City, CA, 90066 *

Parking

Base Camp
Location Type : Other Location
3846 Albright Ave, Culver City, CA, 90066

Crew Parking
Location Type : Other Location
12125 Venice Blvd, Los Angeles, CA, 90066

Parking Notes
Crew parking at 12125 Venice Blvd 7a-10p

NOT A PERMIT

Appointment of Film Permits Unlimited, Inc.
As Authorized Agent and representative

I certify that I am a representative of Hatchback Productions Inc ("Principal") and am authorized to enter into binding contractual agreements on it's behalf. I further certify that I am authorizes by Principal to appoint other representatives and agents for Principal and to give such representatives and agents authority to enter into and bind Principal to agreements relating to the issuance of and compliance with location film (e.g. theatrical, television, commercial and other motion picture filming) and still photographic permits, including the permits themselves and any riders to such permits. Acting on behalf of Principal in my capacity as its authorized representative, I appoint Film Permits Unlimited, Inc. and it's employees and agents ("FPU") as Principal's authorized representatives and agents to apply for location film (e.g. theatrical, television, commercial and other motion picture filming) and still photographic permits on behalf of Principal through Film LA, Inc., any city and county, or through any other jurisdiction: to negotiate, discuss, accept, modify, agree to and bind Principal to the terms and conditions of such permits (including all restrictions and /or community guidelines applicable to any such permit): and to execute such permits on behalf of Principal. Principal understands, acknowledges and agrees that it (and/or its insurer) remains responsible and liable for all obligations imposed by or Incidental to any permit or rider issued to Principal signed by an employee or agent of (including any coordinator, runner or messenger used by) FPU. Principal further agrees to comply with the terms and conditions of any such permits and hereby appoints FPU as an authorized representative to facilitate compliance with such terms and conditions following issuance of any such permits and to enter into agreements for Principal with respect thereto. Any person, agency, entity, or organization (including Film LA, Inc. and any city county or other jurisdiction) may rely upon this appointment and need not obtain further authorization for any act described herein. An original or faxed copy of this appointment shall be sufficient, and may be treated as an original for all purposes. The appointment may be revoked by Principal at any time in writing, but in any case, shall expire one (1) year from the date of execution set forth below.

I declare under penalty of perjury under the laws of the State of California that I am authorized to appoint FPU as agent for Principal, and based upon that authority I hereby appoint FPU as Principal's agent as set forth herein.

Dated: 9-11-19

Hatchback Productions Inc
Name of Principal

By: Greg Kindra
Representative's Signature

Greg Kindra
Print Representative's Name

Producer
Representative's title

3636 Keystone Ave. #9 Los Angeles 90034
Principal's Address

630.738.4734
Principal's Telephone

Film Permits Unlimited, Inc.
Phone (818) 347-9929
Fax (818) 347-9784

Please sign and fax back
Principal = Name of Company

NOT A PERMIT

Permit #F00156309

FIRE DEPARTMENT

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

MICHAEL NAGY
Fire Marshal

COMMUNITY RISK REDUCTION

LOCATION FILMING SPOT CHECK

FilmLA Permit #:	**Date of Filming:**
Production Name	**Location Address:**

Instructions: Complete checklist each day before the start of filming. If a "NO" is indicated on any line item below, halt filming, correct and document corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for Culver City Fire Dept. Inspector review

ACCESS AND PARKING		**YES**	**NO**	**N/A**
1.	Fire department vehicle access maintained (20' width minimum)			
2.	Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum)			
3.	Vehicles not obstructing exit doors			
4.	Designated location for Special Effects vehicles			
5.	Vehicles parked minimum 20' from all tents			
Corrective Actions Taken:				

EXITING		**YES**	**NO**	**N/A**
1.	All exits kept clear and unobstructed			
2.	Exit signs are provided and visible			
3.	Exit pathway illumination provided and operational			
4.	No hazardous or ignitable material stored in exit pathways			
5.	Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities			
Corrective Actions Taken:				

ELECTRICAL AND LIGHTING		**YES**	**NO**	**N/A**
1.	All cords, cables, boxes, fixtures and appliances are in good condition			
2.	Cables properly protected			
3.	Cables flown or bridged crossing exit pathways and paths of travel			
4.	Electrical panels unobstructed and secured with dead fronts			
5.	All combustible material kept clear of light fixtures			
Corrective Actions Taken:				

NOT A PERMIT

Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.

Revised 06/2018

FIRE PROTECTION EQUIPMENT/ FIRE ALARM		YES	NO	N/A
1.	Fire extinguishers charged, tagged and readily available			
2.	40 B-C extinguisher provided for generator and kitchen area			
3.	Sprinkler system riser and sprinkler heads are unobstructed			
4.	Proper extinguisher provided for type of special event			
5.	Fire alarm placed on "TEST" with monitoring company and Fire Dept.			
Corrective Actions Taken:				

GENERATORS		YES	NO	N/A
1.	Generators parked in approved location and attended while operating			
2.	Generator free of leaks and not refueled while operating			
Corrective Actions Taken:				

TENTS/SMOKING CONTROL		YES	NO	N/A
1.	Tents greater than 400 square feet need additional tent permit from CCFD			
2.	All tents must be properly secure, have posted exit signs and bear the proper flame retardant material with CSFM logo			
3.	"No Smoking" signs posted and enforced within tents			
4.	No interior smoking permitted			
Corrective Actions Taken:				

FLAMMABLE MATERIAL/ HEATING APPLIANCES		YES	NO	N/A
1.	Flammable gases and liquids are stored in approved containers, locations and identified			
2.	No refueling of vehicles or equipment while operating			
3.	LPG tanks are stored outside			
4.	LPG-fueled appliances not allowed without separate FD permit			
5.	Adequate clearance maintained between appliances and combustible material			
6	Flammable material are stored >25ft from any flame source			
Corrective Actions Taken:				

FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT

Name:	**Phone:**
Signature:	**Title:**
Inspector Name:	**Inspector Signature:**

KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES

NOT A PERMIT

Permit #F00156309

FIRE DEPARTMENT

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

MICHAEL NAGY
Fire Marshal

COMMUNITY RISK REDUCTION

LOCATION FILMING SPOT CHECK

FilmLA Permit #:	**Date of Filming:**
Production Name	**Location Address:**

Instructions: Complete checklist each day before the start of filming. If a "NO" is indicated on any line item below, halt filming, correct and document corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for Culver City Fire Dept. Inspector review

ACCESS AND PARKING		**YES**	**NO**	**N/A**
1.	Fire department vehicle access maintained (20' width minimum)			
2.	Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum)			
3.	Vehicles not obstructing exit doors			
4.	Designated location for Special Effects vehicles			
5.	Vehicles parked minimum 20' from all tents			

Corrective Actions Taken:

EXITING		**YES**	**NO**	**N/A**
1.	All exits kept clear and unobstructed			
2.	Exit signs are provided and visible			
3.	Exit pathway illumination provided and operational			
4.	No hazardous or ignitable material stored in exit pathways			
5.	Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities			

Corrective Actions Taken:

ELECTRICAL AND LIGHTING		**YES**	**NO**	**N/A**
1.	All cords, cables, boxes, fixtures and appliances are in good condition			
2.	Cables properly protected			
3.	Cables flown or bridged crossing exit pathways and paths of travel			
4.	Electrical panels unobstructed and secured with dead fronts			
5.	All combustible material kept clear of light fixtures			

Corrective Actions Taken:

NOT A PERMIT

Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.

Revised 06/2018

FIRE PROTECTION EQUIPMENT/ FIRE ALARM		YES	NO	N/A
1.	Fire extinguishers charged, tagged and readily available			
2.	40 B-C extinguisher provided for generator and kitchen area			
3.	Sprinkler system riser and sprinkler heads are unobstructed			
4.	Proper extinguisher provided for type of special event			
5.	Fire alarm placed on "TEST" with monitoring company and Fire Dept.			
Corrective Actions Taken:				

GENERATORS		YES	NO	N/A
1.	Generators parked in approved location and attended while operating			
2.	Generator free of leaks and not refueled while operating			
Corrective Actions Taken:				

TENTS/SMOKING CONTROL		YES	NO	N/A
1.	Tents greater than 400 square feet need additional tent permit from CCFD			
2.	All tents must be properly secure, have posted exit signs and bear the proper flame retardant material with CSFM logo			
3.	"No Smoking" signs posted and enforced within tents			
4.	No interior smoking permitted			
Corrective Actions Taken:				

FLAMMABLE MATERIAL/ HEATING APPLIANCES		YES	NO	N/A
1.	Flammable gases and liquids are stored in approved containers, locations and identified			
2.	No refueling of vehicles or equipment while operating			
3.	LPG tanks are stored outside			
4.	LPG-fueled appliances not allowed without separate FD permit			
5.	Adequate clearance maintained between appliances and combustible material			
6	Flammable material are stored >25ft from any flame source			
Corrective Actions Taken:				

FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT

Name:	**Phone:**
Signature:	**Title:**
Inspector Name:	**Inspector Signature:**

KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES

NOT A PERMIT

Permit #F00156309

FIRE DEPARTMENT

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

MICHAEL NAGY
Fire Marshal

COMMUNITY RISK REDUCTION

LOCATION FILMING SPOT CHECK

FilmLA Permit #:	**Date of Filming:**
Production Name	**Location Address:**

Instructions: Complete checklist each day before the start of filming. If a "NO" is indicated on any line item below, halt filming, correct and document corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for Culver City Fire Dept. Inspector review

ACCESS AND PARKING		**YES**	**NO**	**N/A**
1.	Fire department vehicle access maintained (20' width minimum)			
2.	Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum)			
3.	Vehicles not obstructing exit doors			
4.	Designated location for Special Effects vehicles			
5.	Vehicles parked minimum 20' from all tents			
Corrective Actions Taken:				

EXITING		**YES**	**NO**	**N/A**
1.	All exits kept clear and unobstructed			
2.	Exit signs are provided and visible			
3.	Exit pathway illumination provided and operational			
4.	No hazardous or ignitable material stored in exit pathways			
5.	Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities			
Corrective Actions Taken:				

ELECTRICAL AND LIGHTING		**YES**	**NO**	**N/A**
1.	All cords, cables, boxes, fixtures and appliances are in good condition			
2.	Cables properly protected			
3.	Cables flown or bridged crossing exit pathways and paths of travel			
4.	Electrical panels unobstructed and secured with dead fronts			
5.	All combustible material kept clear of light fixtures			
Corrective Actions Taken:				

NOT A PERMIT

Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.

Revised 06/2018

FIRE PROTECTION EQUIPMENT/ FIRE ALARM		YES	NO	N/A
1.	Fire extinguishers charged, tagged and readily available			
2.	40 B-C extinguisher provided for generator and kitchen area			
3.	Sprinkler system riser and sprinkler heads are unobstructed			
4.	Proper extinguisher provided for type of special event			
5.	Fire alarm placed on "TEST" with monitoring company and Fire Dept.			
Corrective Actions Taken:				

GENERATORS		YES	NO	N/A
1.	Generators parked in approved location and attended while operating			
2.	Generator free of leaks and not refueled while operating			
Corrective Actions Taken:				

TENTS/SMOKING CONTROL		YES	NO	N/A
1.	Tents greater than 400 square feet need additional tent permit from CCFD			
2.	All tents must be properly secure, have posted exit signs and bear the proper flame retardant material with CSFM logo			
3.	"No Smoking" signs posted and enforced within tents			
4.	No interior smoking permitted			
Corrective Actions Taken:				

FLAMMABLE MATERIAL/ HEATING APPLIANCES		YES	NO	N/A
1.	Flammable gases and liquids are stored in approved containers, locations and identified			
2.	No refueling of vehicles or equipment while operating			
3.	LPG tanks are stored outside			
4.	LPG-fueled appliances not allowed without separate FD permit			
5.	Adequate clearance maintained between appliances and combustible material			
6	Flammable material are stored >25ft from any flame source			
Corrective Actions Taken:				

FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT

Name:	**Phone:**
Signature:	**Title:**
Inspector Name:	**Inspector Signature:**

KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES

NOT A PERMIT

Permit #F00156309

FIRE DEPARTMENT

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

MICHAEL NAGY
Fire Marshal

COMMUNITY RISK REDUCTION

LOCATION FILMING SPOT CHECK

FilmLA Permit #:	**Date of Filming:**
Production Name	**Location Address:**

Instructions: Complete checklist each day before the start of filming. If a "NO" is indicated on any line item below, halt filming, correct and document corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for Culver City Fire Dept. Inspector review

ACCESS AND PARKING		**YES**	**NO**	**N/A**
1.	Fire department vehicle access maintained (20' width minimum)			
2.	Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum)			
3.	Vehicles not obstructing exit doors			
4.	Designated location for Special Effects vehicles			
5.	Vehicles parked minimum 20' from all tents			

Corrective Actions Taken:

EXITING		**YES**	**NO**	**N/A**
1.	All exits kept clear and unobstructed			
2.	Exit signs are provided and visible			
3.	Exit pathway illumination provided and operational			
4.	No hazardous or ignitable material stored in exit pathways			
5.	Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities			

Corrective Actions Taken:

ELECTRICAL AND LIGHTING		**YES**	**NO**	**N/A**
1.	All cords, cables, boxes, fixtures and appliances are in good condition			
2.	Cables properly protected			
3.	Cables flown or bridged crossing exit pathways and paths of travel			
4.	Electrical panels unobstructed and secured with dead fronts			
5.	All combustible material kept clear of light fixtures			

Corrective Actions Taken:

NOT A PERMIT

Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.

Revised 06/2018

FIRE PROTECTION EQUIPMENT/ FIRE ALARM		YES	NO	N/A
1.	Fire extinguishers charged, tagged and readily available			
2.	40 B-C extinguisher provided for generator and kitchen area			
3.	Sprinkler system riser and sprinkler heads are unobstructed			
4.	Proper extinguisher provided for type of special event			
5.	Fire alarm placed on "TEST" with monitoring company and Fire Dept.			
Corrective Actions Taken:				

GENERATORS		YES	NO	N/A
1.	Generators parked in approved location and attended while operating			
2.	Generator free of leaks and not refueled while operating			
Corrective Actions Taken:				

TENTS/SMOKING CONTROL		YES	NO	N/A
1.	Tents greater than 400 square feet need additional tent permit from CCFD			
2.	All tents must be properly secure, have posted exit signs and bear the proper flame retardant material with CSFM logo			
3.	"No Smoking" signs posted and enforced within tents			
4.	No interior smoking permitted			
Corrective Actions Taken:				

FLAMMABLE MATERIAL/ HEATING APPLIANCES		YES	NO	N/A
1.	Flammable gases and liquids are stored in approved containers, locations and identified			
2.	No refueling of vehicles or equipment while operating			
3.	LPG tanks are stored outside			
4.	LPG-fueled appliances not allowed without separate FD permit			
5.	Adequate clearance maintained between appliances and combustible material			
6	Flammable material are stored >25ft from any flame source			
Corrective Actions Taken:				

FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT

Name:	**Phone:**
Signature:	**Title:**
Inspector Name:	**Inspector Signature:**

KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES

NOT A PERMIT